PATENT COOPERATION TREATY

PCT

REC'D. 1	5 DEC 2004
WIPO	PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	FOR FURTHER ACTION SOCIOIM 1 STATE OF THE ST					
2022321PC/or			District data (dayles anth broad)			
International application No.	International filing date (da	y/month/year)	Priority date (day/month/year)			
PCT/FI2004/000219	08.04.2004		11.04.2003			
International Patent Classification (IPC)	or national classification and	PC				
E21B 47/01						
			į			
Applicant						
Sandvik Tamrock Oy et	: al					
 This report is the international pr Authority under Article 35 and to 	eliminary examination report ransmitted to the applicant ac	, established by the cording to Article	is International Preliminary Examining 36.			
2. This REPORT consists of a total	of 4 sheets, i	ncluding this cove	r sheet.			
3. This report is also accompanied l	by ANNEXES, comprising:					
_		ware) a total of	3 sheets, as follows:			
	nt and to the International Bu	musings which has				
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).						
C sheets which	h supersede earlier sheets, but	t which this Autho	rity considers contain an amendment that goes			
beyond the	disclosure in the international	application as file	ed, as indicated in item 4 of Box No. I and the			
Supplement		_				
b (sent to the Internat	tional Bureau only) a total of	(indicate type and	number of electronic carrier(s))			
	, containing	g a sequence listing	g and/or tables related thereto, in computer to Sequence Listing (see Section 802 of the			
Administrative Inst	ructions).					
4. This report contains indications	relating to the following item	ns:				
	of the report					
Box No. II Priori	ity					
1 1	establishment of opinion with regard to novelty, inventive step and industrial applicability					
i L	of unity of invention					
		35(2) with regard	to novelty, inventive step or industrial			
Box No. v Reason applie	Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
Box No. VI Certa	ain documents cited					
Box No. VII Certain defects in the international application						
Box No. VIII Certs						
	-					
Date of submission of the demand		Date of completion	on of this report			
11.11.2004	, .	09.12.2004				
Name and mailing address of the IPEA	/SE	Authorized officer				
Patent- och registreringsverk		,				
Box 5055 S-102 42 STOCKHOLM			Bäcknert / MRo			
Facsimile No. +46 8 667 72 88	3	Telephone No. +46 8 782 25 00				

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/FI2004/000219

Box	No. I	Basi	s of the report
1.	otherw	ise indica	the language, this report is based on the international application in the language in which it was filed, unless ated under this item.
		This repo	ort is based on a translation from the original language into the following language, the language of a translation furnished for the purposes of:
			international search (under Rules 12.3 and 23.1(b))
			publication of the international application (under Rule 12.4)
			international preliminary examination (under Rules 55.2 and/or 55.3)
2.	furnish	hed to the e not ann	the elements of the international application, this report is based on (replacement sheets which have been receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" nexed to this report):
		the inte	mational application as originally filed/furnished
	\boxtimes	the desc	cription:
		pages	1-10 as originally filed/furnished
		pages*	
		pages*	received by this Additionty on
	\boxtimes	the clai	ms: as originally filed/furnished
		pages	1.16 at a statement under Article 10
		pages*	11-13 received by this Authority on 11.11.2004
		pages*	4 99 19 1 A 19 1
	\square	the dra	
			1-3 as originally filed/furnished
		pages*	
		pages*	
		a sequ	ence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.
3.		The an	nendments have resulted in the cancellation of:
			the description, pages
			the claims, Nos.
			the drawings, sheets/figs
			the sequence listing (specify):
l			any table(s) related to the sequence listing (specify):
4.		This r made, 70.2(c	report has been established as if (some of) the amendments annexed to this report and listed below had not been since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule c)).
1			the description, pages
			the claims, Nos.
1			the drawings, sheets/figs
			the sequence listing (specify):
			any table(s) related to the sequence listing (specify):
	If it	em 4 anni	lies, some or all of those sheets may be marked "superseded."
	4)	wppi	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/FI2004/000219

Box No. V Reasoned stations and	atement under Art I explanations sup	ticle 35(2) with regard to novelty, inventive st porting such statement	tep or industrial applicability;
1. Statement	·		
Novelty (N)	Clair	ms 1-16	YES
	Clair	ns	NO
Inventive step (IS)	Clair	ms <u>1-16</u>	YES
	Clair		NO
Industrial applicability (IA)	ity (IA) Clair	ms <u>1-16</u>	YES
	Clair	•	NO

2. Citations and explanations (Rule 70.7)

Documents cited in the International Search Report:

D1: US4715446 A1 D2: US4690214 A1 D3: EP0553732 A1

The invention relates to a drill hole measuring device and a rock drilling unit. It is intended to measure the straightness and dimensions of downward oriented drill holes and comprises at least one sensor; an elongated transmission element connected to the sensor; at least one transfer device, by which the transmission element can be moved longitudinally in at least one direction for moving the sensor in the drill hole. Further, the invention comprises an elongated protective element with a lower part and an upper part, the lower part of the protective element being designed such that it can be inserted partly into the drill hole and the sensor is arranged to be moved into the protective element by means of the transfer device.

D1 discloses a device and a method for protecting a tool such as a measuring instrument in a well, this instrument being fixed to the end of a drill string. The measuring instrument (1) is protected by a protective casing (4). This reference does not disclose a complete measuring device; rather it shows a measuring device inside a protective casing at the end of a drill string (2). Further, the measuring instrument (1) is not arranged to be moved into the protective casing (4) by means of the drill string (2) (transfer device). Consequently, the claimed invention differs from the cited prior art; it is therefore new.

.../...

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/FI2004/000219

Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of: $Box\ V$

None of the cited documents give any indication that would lead a person skilled in the art to the claimed portable drill hole measuring device or rock drilling unit comprising such a measuring device. Thus, the claimed invention is not obvious to a person skilled in the art.

Accordingly, the invention defined in claims 1-16 is novel and is considered to involve an inventive step.

The invention is industrially applicable.

1 1 -11- 2004

11

CLAIMS

1. A portable drill hole measuring device comprising:

a frame (2);

at least one sensor (6);

an elongated transmission element (5) connected to the sensor (6);

at least one transfer device (4), by which the transmission element

- (5) can be moved longitudinally in at least one direction for moving the sensor
- (6) in the drill hole (12), characterized in that

the measuring device (1) includes an elongated protective element (3) and comprising a lower part and an upper part,

that the lower part of the protective element (3) is designed such that it can be inserted partly into the drill hole (12), and

that the sensor (6) is arranged to be moved into the protective element (3) by means of the transfer device (4).

- 2. A measuring device as claimed in claim 1, **c h a r a c t e r i z e d** in that at a first end of the protective element (3) there is a conical portion (13), which can be inserted into the drill hole (12) at least partly.
- 3. A measuring device as claimed in claim 1 or 2, **character**ized in that at the first end of the protective element (3) there is at least one support piece (10), which is arranged to hold the protective element (3) in a desired position.
- 4. A measuring device as claimed in any one of the preceding claims, **characterized** in that the protective element (3) is designed at least for its first end portion such that the protective element (3) can be inserted at least partly into the drill hole (12).
- 5. A measuring device as claimed in any one of the preceding claims, **characterized** in that the protective element is a tubular piece.
- 6. A measuring device as claimed in any one of the preceding claims, characterized in

that the transmission element (5) is a flexible, elongated piece, and that the transfer device (4) comprises a reel (8), around which the transmission element (5) can be wound.

7. A measuring device as claimed in claim 6, **characterized** in that the reel (8) is provided with a handle (15) for rotating the reel (8) manually.

- 8. A measuring device as claimed in claim 6, **characterized** in that the transfer device (4) comprises a motor (7) for rotating the reel (8).
- 9. A measuring device as claimed in any one of the preceding claims, **characterized** in that the measuring device (1) comprises at least one actuator (21) for pushing the protective element (3) partly into the drill hole (12).
- 10. A measuring device as claimed in any one of claims 1 to 5, characterized in

that the transmission element (5) is a flexible, elongated piece,

that the measuring device (1) comprises a container (40), which is arranged stationary with respect to the frame of the measuring device (1), for storing the transmission element (5),

that the transfer device (4) comprises at least one roll, which is arranged to move the transmission element (5) in the longitudinal direction by friction, and

that the transmission element (5) is arranged to settle within the space delimited by the inner surface (43) of the container (40).

11. A measuring device as claimed in any one of the preceding claims, characterized in

that the transmission element (5) is a flexible, elongated piece,

that the measuring device (1) comprises a container (40), which is arranged stationary with respect to the frame of the measuring device (1), for storing the transmission element (5),

that the transfer device (4) comprises at least one roll, which is arranged to move the transmission element (5) in the longitudinal direction by friction,

that the transfer device (4) is arranged rotatably about the longitudinal axis (48) of the protective element (3), and

that the transmission element (5) is arranged to settle within the space delimited by the inner surface (43) of the container (40).

- 12. A measuring device as claimed in any one of the preceding claims, **characterized** in that the measuring device (1) is arranged in a rock drilling unit (16).
- 13. A measuring device as claimed in any one of the preceding claims, **characterized** in that the measuring device (1) is arranged in a charging unit (50).

14. A rock drilling unit comprising:

at least one feeding beam (20);

at least one rock drilling apparatus (18), which is movable with respect to the feeding beam (20); and

at least one measuring device (1) for measuring drill holes (12), the measuring device (1) comprising: a frame (2); at least one sensor (6) that may be arranged in a drill hole (12); an elongated transmission element (5) connected to the sensor (6); and at least one transfer device (4), by which the transmission element (5) may be moved longitudinally for moving the sensor (6) in the drill hole (12),

characterized in that

the measuring device (1) includes an elongated protective element (3), into which the sensor (6) is arranged to be moved by means of the transfer device (4).

15. A rock drilling unit as claimed in claim 14, characterized in

that the first end portion of the feeding beam (20) comprises a first holder (21) for mounting the measuring device (1), and

that the second end portion of the feeding beam (20) comprises a second holder (23) for mounting at least the sensor of the measuring device (1),

that the measuring device (1) is mountable on the first holder (21) for measuring the drill hole (12) by means of the sensor (6), and

that at least the sensor of the measuring device is mountable on the second holder (23) for positioning and aligning the drilling unit (16) by means of the sensor (6).

16. A rock drilling unit as claimed in claim 14 or 15, characterized in

that the rock drilling unit (16) comprises at least one actuator (21) for moving the protective element (3) of the measuring device (1) longitudinally,

that the protective element (3) can be inserted into the drill hole (12), and

that the sensor (6) can be inserted inside the protective element (3) into the drill hole (12).

Original

Declaration: inventorship (only for VIII-4-1 the purposes of the designation of the United States of America) Declaration of Inventorship (Rules I hereby declare that I believe I am the 4.17(iv) and 51bis.1(a)(iv)) for the purposes of the designation of the original, first and sole (if only one United States of America: inventor is listed below) or joint (if more than one inventor is listed below) inventor of the subject matter which is claimed and for which a patent is This declaration is directed to international application PCT/ FI2004/000219 (if furnishing declaration pursuant to Rule 26ter). I hereby declare that my residence, mailing address, and citizenship are as stated next to my name. I hereby state that I have reviewed and understand the contents of the aboveidentified international application, including the claims of said application. I have identified in the request of said application, in compliance with PCT Rule 4.10, any claim to foreign priority, and I have identified below, under the heading "Prior Applications", by application number, country or Member of the World Trade Organization, day, month, and year of filing, any application for a patent or inventor's certificate filed in a country other than the United States of America, including any PCT international application designating at least one country other than the United States of America, having a filing date before that of the application on which foreign priority is claimed. VIII-4-1- |Prior applications: 20030553, FI, 11 April 2003 (11.04.2003) · Original

I hereby acknowledge the duty to disclose information that is known by me to be material to patentability as defined by 37 C.F.R. § 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the PCT international filing date of the continuation-in-part application. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

VIII-4-1- Name (LAST, First) 1-1 VIII-4-1- Residence: (city and either US State, if applicable, or country) VIII-4-1- Mailing address: 1-3 VIII-4-1- Citizenship: 1-4 VIII-4-1- Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 26ter after the filing of the international application. The signature must be that of the inventor, not that of the agent) VIII-4-1- Date: (of signature which is not contained in 1-6 the request, or of the declaration that is corrected or added under Rule 26ter after the filing of the International application)

UITTO, Vesa

Tampere, Finland

Välikuja 4 FI-33720 Tampere Finland

FI

TAMPERE 26.04.20.04